



**SF ONLINES (M) SDN BHD** (923 653-U)



**CHEMICAL SOLUTION  
TO KEEP YOU MOVING  
2014**

323, JALAN MAHKOTA, TAMAN MALURI, CHERAS, 55100 KUALA LUMPUR WILAYAH PERSEKUTUAN MALAYSIA  
WEBSITE: [www.sfonlines.com](http://www.sfonlines.com) EMAIL: [mail@sfonlines.com](mailto:mail@sfonlines.com) TEL:03-9285 4435 FAX:03-9281 8546





**ACR 0319-4  
16OZ GRAFFITI REMOVER**

CRC Graffiti Remover is a solvent based, high strength cleaner that remove vandal from different type of surfaces. It quickly dissolves and aids in the remover of paint, pen marker, crayon, ink, lipstick, scuff marks, lacquers and varnish. Which contain no methylene chloride.

- Aggressive and vandal mark remover .
- Gelled formula, great for use on vertical surface.
- Easily remove multi layered or painted over graffiti.
- Protect equipment surface.
- NSF C3 registered.



**ACR 0506-1  
12OZ FUEL INJECTOR & CARBURATOR CLEANER**


- Remove deposits from injector, carburetor and system intake.
- With regular use, eliminates hard starts, rough idling, dieseling and excessive emissions.
- Reduce engine demand for high octane fuel.
- Harmless to catalytic converter and oxygen sensor.
- Pour to petrol tank.



**ACR 0507-8  
12OZ THROTTLE BODY & AIR INTAKE CLEANER**

The air intake cleaner cleans air intakes, throttle bodies and linkages on fuel injected vehicles. Helps eliminate hesitation and rough idling.

- Safe on coated throttle bodies.
- Work to clean power robbing gum and varnish.
- Removes total harmful deposits.
- Lubricates and protects moving parts.
- Not VOC compliant.



**ACR 0510-7  
0.28OZ DI-ELECTRIC GREASE**

A unique, non curing compound use for sealing, protecting and electrical insulating.

- Improve electrical performance by reducing arching, voltage drop and other condition.
- Ideal for lubrication plastic and rubber.
- Apply on electrical connection, circuit breaker, contacts, spark plug boots, trailer connection.
- Also on HEI distributor, battery terminal.
- Lubrication on plastic, rubber parts and o-ring.



**ACR 0511-0  
14OZ MASS AIR FLOW SENSOR CLEANER**

The first product specifically developed to clean mass air flow sensor. Designed with advanced COZOL technology .

- Increase horsepower and improve air/ratio and MPG.
- Application to mass air flow sensor and housing.
- Generic description as electronic cleaner.
- Color: clear colorless liquid.
- Remove by petroleum distillates.





**ACR 0521-2  
14OZ DIESEL FUEL THERAPY**

Diesel injector cleaner, reduce black smoke, provides top tier clean up with max treat.

- Adds lubricity to low sulfur fuel.
- Cleans injectors and prevents corrosion.
- Emissions reducing formula rated superior in Cummins L-10 test for injector cleanliness.
- Stabilizer fuel, increase MPG.
- Prevent corrosion, increase power.
- Pour into diesel filter and diesel tank.



**ACR 0533-4  
12OZ SMOKE STOP-ENGIN SMOKE REDUCER**

A concentrated oil treatment, specifically design for excessive exhaust smoking and oil burning.

- Harmless to catalytic converters.
- Will no compensate for defective or extremely worn parts that need overhaul or replacement.
- Apply to automobile, boats, buses, motorcycles, tractors and trucks.
- Pour into engine oil tank.



**ACR 0533-5  
12OZ RADIATOR ANTI RUST**

Water pump lubricant

- Protect all interior parts of the cooling system.
- Prevents rust formation and stop electrolytic corrosion.
- Eliminates wear and friction.



**ACR 0533-7  
12OZ RADIATOR FLUSH**

One Step Non Acid Cleaner


- Work in 10 minutes.
- Effectively remove grease, oil, rust, scale, scum and sludge.
- Neutralizes acid formed in anti freeze.



**ACR 0533-9  
12OZ ENGINE SEAL**

Engine gasket sealer.

- Helps stop oil leak in main bearing seal and other engine oil seal.
- Restore elasticity and compensate for shrinkage of seals.
- Improve seal to metal contact.
- Pour into engine oil tank.





**ACR 0534-5**  
**12OZ STEER AID**  
POWER STEERING CONDITIONER AND LEAK STOP.

- Prolong the life of the power steering by restoring electricity of seals.
- Prevent foaming, non clogging.
- Stop internal leaks.
- Pour into steering fluid tank.



**ACR 0534-7**  
**20OZ RUBBERIZED SPRAY UNDERCOATING**

- Provides a tough, flexible shield against moisture, salt and road debris.
- Dried quickly.
- Will no crack or peel.
- Deaden outside road noise.
- Seal underbody, fender, panels, frames, hood, door, deck. Weld joint and etc.



**ACR 0534-8**  
**30OZ ENGINE KOOL**  
ENGINE COOLING SYSTEM.

- Prevent loss of heat conductivity to cooling system fluid, which causes overheating.
- Transfer heat from metal to coolant to reduce engine temperature.
- Compatible with all anti freeze solutions.
- Pour into radiator tank.



**ACR 0535-0**  
**7.5OZ BELT CONDITIONER**  
Eliminate squeaks and prolong belt life.

- Use on all type of belts, such as serpentine, flat and v type belt.
- Prevent slippage and glazing.
- Remove oil, grease and glaze.
- Use every 3,000 miles to prevent drying out and slippage.



**ACR 1407-7**  
**12OZ MINIMAL EXPANSION FOAM**  
Polyurethane foam designed to fill, seal, bond, insulate and deaden sound and around crack and cavities.

- It form a permanent water proof and air type bond to masonry, wood, glass and metal & plastics.
- Stops drafts, moisture, insect and rodents.
- When cured, foam can be sanded, painted and stained.
- Low expansion formula expand 50% when fully cured.





**ACR 1442-4  
200Z STAINLESS STEEL CLEANER & POLISH**

Using an exclusive ultra shine formula, which eliminate dirt, dust, fingerprint and water mark and leave behind protective, non greasy barrier that resist the return of these stains.

- Industrial strength with powerful cleaning agent design to out clean, out shine and out perform competing janitorial stainless steel cleaner.
- Non flammable.
- Ready to use.



**ACR 1444-0  
200Z FOAMING CITRUS ALL PURPOSE CLEANER**

Rich, foamy, aqueous based cleaner with a citrus scent. Which cling to tough, stubborn stain on vertical and inverted surface without runs or drips.

- It foamy action instantly begin to lift off and eliminate dirt, dust, ink and grime deposits.
- Non flammable.
- Biodegradable and butyl free.
- Safe on most plastic. Non corrosive and non abrasive.
- NF C1 registered for use in meat and poultry plant.



**ACR 1450-3  
200Z LEAK DETECTOR**

Formulated for the quick and easy site detection of gas leaks and air leaks.

- Reliable locate gas leak and pressure losses in pipes and pressurized system by foaming high visible bubbles when apply over any leak.
- Non flammable.
- Highlight all leaks even under low pressure.
- Water base formula, no oil, silicone or harmful solvent.
- No odor, NSF P1 registered.

**EXCLUSIVE**



**ACR 1841-8  
300Z RUST CONVERTER**

Neutralize rust and convert it to a tough, black primer in one easy step.

- Application at vehicle, trailer, railings, bridges, equipment, storage tank, transmission tower, tec.
- Instantly stop old rust. And prevent new rust.
- No more scraping and sand blasting.
- Convert rust to tough black primer.
- Protect surface for years.




**ACR 2015 / ACR 2016  
150G / 350G CO CONTACT CLEANER**

Advanced technology formula CO Contact Cleaner does not contain ozone depleting substance, and its VOC exempt.

- Regular use to prevent electrical failure, increase performance and prolong equipment life by dissolving and away contaminant.
- NSF KS2 registered for use in meat and poultry plant.
- Plastic safe, VOC exempt.
- High dielectric strength of 27,600 volts.





**ACR 2043**  
**300G PLASTICOTE 70 (CLEAR PROTECTIVE COAT)**

A clear protective lacquer that has been formulated to protect printed circuit boards from electronic parts and short circuit.

- Form flexible clear film that resist to environment effect, such as moisture, salt spray, dust, oxidation, diluted acid, alkali, alcohol and humidity.
- Three coat will provide dielectric resistance to 16KV, allow 30 minutes drying time between coat.
- It contain UV indicator allows for instance quality control of the applied coat.



**ACR 2044**  
**300G RED URETHANE SEAL COAT**

Polyurethane that insulate electrical equipment and seal out water and moisture. The red formula allow for visualization of equipment.

- Application on motor winding, terminals, bus bar, commutates end, stator coils and PC board.
- Extremely flammable.
- Which could remove by mineral spirit when wet.
- Which could remove by graffiti remover when dry.



**ACR 2085**  
**350G ZINC IT**

High performance coating >92% pure zinc that electrochemically bond with ferrous metal to foam a galvanized cell.

- It actively fight rust and corrosion , use as touch up for damaged galvanized coating.
- Dry quickly.
- Application on thread, exposed edge, fastener, conduit, strapping, weld, fencing, railing, grates, electrical pole, rain spout, signs, door, trailer, waste container, catwalk .



**ACR 3016**  
**16OZ METAL MATE (METAL CLEANER)**

Quickly and effectively restore all bright metal. Use to clean and polish brass, chrome, aluminum, nickel, silver, stainless steel, copper, bronze and pewter.

- Long lasting protection.
- Use to clean and polish all sort metal material.
- Contain no harsh abrasive .



**ACR 3035**  
**285G WIRE ROPE AND CABLE LUBRICANT**

Specially formulated blend of synthetic lubricant and an organic Molybdenum anti ware additive.

- Extreme duty synthetic lubricant with Molybdenum .
- It lubricates and protects wire rope to help prevent strand failure .
- Extend working life and eliminate costly downtime.
- It resist water wash off and high temperature sling off.





**ACR 3045**

**300G POWER LUBE WITH PTFE**

High performance, multi purpose lubricant that utilize PTFE and extremely pressure additives to provide unparalleled lubricating performance.

- Twice the load carrying capacity of most general purpose lubricants.
- Application to bearing, gear, linkage, motor, chain, cable, roller, guide bar, pulley, cam, valve, ball joint, hinge, slide, cutting tool, tap, die, piston, handling equipment, conveyer, hoist, lift, door and fan.
- Remove by petroleum solvent or mineral spirit.



**ACR 3055**

**330G 808 SILICONE SPRAY**

Specially formulated to lubricate, waterproof and protect electrical component.

- Help prevent corrosion to electrical equipment located in wet or harsh environment.
- Color: clear water white liquid.
- Remove with soap and water. CRC Hydro force all purpose.



**ACR 3063**

**300G C.D.T. Cutting oil**

Superior thread cutting lubricant for use on all type of metals, including brass copper and aluminum.

- Application on threading, tapping, drilling, sawing, shearing, turning, and reaming metal parts, pipe, conduit, screw, bolt hole, housing, aluminum sheet, strapping, gear and chain.
- Color: brown liquid.
- Remove with general purpose degreaser.



**ACR 3070**

**500G GLASS CLEANER**

Cut through dirt, dust, fingerprint and haze deposit.

- Provide streak free glass cleaning even on delicate glass surface.
- Application to glass, fiberglass, mirror, stainless steel, polished metal, plastic and chrome.
- Color: clear colorless.



**ACR 3075**

**250ML RAIN SHEILD**

RAIN AND SNOW REPELLENT.

- Improve driving and boating visibility.
- Provide safety while driving under adverse weather condition.
- Sheds water, on contact, from windshield, side and rear window, mirror and light.
- Ideal protect against adhesion of bug, salt, mud, frost, bird dropping.
- Not affected by detergents but grit, grime and wiper abrasion diminish performance.





**ACR 4013-8**  
**8OZ TANNERY ALL IN ONE CONDITIONER AND CLEANER**  
Clean, condition, protect, preserve leather, vinyl, rubber, plastic, trim and fiberglass.

- Guard against harmful sunlight and extreme temperature.
- Penetrate and nourish surface affected by the element.
- Restore luster and never leave a slick film.
- Application on bumper, dashboard, fiberglass, jet skis, leather, patio furniture, plastic, sporting good, tire and vinyl.




**ACR 4017-3**  
**10OZ TANNERY LEATHER, VINYL & MORE CLEANER AND CONDITIONER**  
Clean, condition, protect, preserve leather, vinyl, rubber, plastic, trim and fiberglass.

- Help guard against to sunlight and extreme weather.
- Penetrate and nourish surface affected by element.
- Restore luster and never leave a slick film.
- Application to bumper, dashboard, fiberglass, jet skis, leather , patio furniture, sporting good and tire.



**ACR 5005 / ACR 5028**  
**400G / 175G 5.56 MULTI PURPOSE**  
Multi purpose product, penetrates and lubricates, loosen rusted part.

- Prevent corrosion and displace moisture.
- Rust preventative.
- Water dispersant.
- Application to bolt and nut, pipe fitting, valve, tool, hinge, lock, latch, starter motor, spark plug, switch and sporting equipment.
- Flammable.



**ACR 5016**  
**4OZ DISC BRAKE QUIET**  
Water resistant, high temperature film that absorb noise while quieting squeak and squeal.

- Formulated to dampen the vibration that cause brake noise.
- Use on the back of non shimmed disc pad.
- Application to backing plate, brake pad contact point and disc brake pad.
- Non flammable.



**ACR 5035**  
**300G TAC 2 ADHESIVE LUBRICANT**  
Exceptional lubricant with a tough adhesive quality which will bond to chain / wear surface to keep them in peak operating condition by reducing friction and wear that cause metal fatigue.

- Application to drive chain, open gear, hoist, winch, pulley, forklift, roller, garage door, bushing, seal, o ring and wire rope.
- Flammable.
- Color: blue liquid.
- Remove with petroleum distillates.





**ACR 5037  
100Z WHITE LITHIUM GREASE**

High quality, multi purpose grease for automotive, shop and home use.

- Long lasting lubrication with excellent water and heat resistance and film strength in any weather and temperature.
- Ideal for all metal to metal lubrication.
- Application to hinge, latches, overhead door track, open gear, chain, cable, slide conveyor, guide rail, cam, piston, machinery and tool equipment.
- Color: Off White



**ACR 5041  
500ML SO EASY PROTECTANT**

Formulated to renew and protect vinyl, rubber, plastic, leather and wood from the penetration of UV ray.

- Give long lasting maximum UV protection by penetrating the pore and foaming a protective film on and under the surface.
- Provide an anti static surface that repels dirt and dust.
- Leave a pleasure citrus fragrance.
- Application to dashboard, plastic, bumper, bonnet, headlight protector, door handle, spoiler.
- And also louvers and rubber mat.



**ACR 5045  
500ML SO EASY ONE STEP TYRE CARE**

One step tire care penetrate the rubber tire wall to remove grime and dries to a protective film.

- No rinsing, no rubbing and no wiping.
- Make tire look new again.



**ACR 5070  
400G AEROCLEAN DEGREASER**

Deliver a concentrated jet of cleaning solution that remove oil and grease from dirty engine.

- It leave a detergent on the surface which emulsifies the remaining contaminate when flush with water.
- Clean concrete floor and driveway.
- Non corrosive.
- Water wash off with no residue.
- Excellent for all automotive engine and mechanical equipment contaminated grease and grime.



**ACR 5081  
400G CLEAN -R- CARB**

An effective in place carburetor cleaner that remove deposit of gum , varnish, lacquer, resin paraffin, metallic salt, oil, oxide, tar and gasoline stain.

- Regular use will prevent gum deposit build up in carburetor.
- Given faster starting, smooth idling and improve fuel economy.
- Restore engine power.
- Non corrosive degreaser..
- Clean without disassembly.





**ACR 5089  
500G BRAKLEEN**

Formulated to quickly and safely remove brake fluid, grease, oil and other contaminants from brake linings, pads, drum and calipers.

- Non staining.
- Non corrosive and leave no residues.
- Ideal use on clutch parts.
- Clean without disassembly.
- Stop disc brake squeal and noise caused by contaminants.



**ACR 5098  
300G BATTERY TERMINAL PROTECTOR**

Specially design to protect battery terminal from corrosion, a leading cause of hard starting and battery failure.

- Lead free soft protective coating.
- Application to battery post, terminal, hold down and casing use in vehicle boat, handing equipment and uninterrupted power supply (UPS).
- And use for computer, security and emergency backup system.



**ACR 9019  
400ML BUG & TAR REMOVER**

Formulated to remove stubborn bug, road tar, tree sap, and bird residue from vehicle exterior.

- Simply spray affected area, leave for 5 minutes and wipe with a clean cloth.
- Quickly penetrate to assist removal and leaves a glossy shines that help repel further bug, tar and grime.
- Use for painted panel, bumper, chrome, plastic, glass headlight.



**AST 0301-8  
16.25OZ SPRAY ADHESIVE**

General purpose quick tack adhesive specially formulated to bond to many foil, plastic, paper, foam, metal cardboard and cloth.

- Application to labeling box and machinery, sealing and resealing box and packaging for shipment.
- Hanging insulation, repair of furniture and display material as well as general interior maintenance.
- Color: white liquid.
- Flammable.



**AST 1712 / AST 1719  
16OZ / 1 GALLON MECHNAIX ORANGE  
CITRUS LOTION HAND CLEANER WITH PUMICE**

- Formulated with the natural cleaning power of citrus.
- Fast and gentle hand cleaner with PH balanced.
- Contain no harsh solvent.
- Effective at cleaning the toughest soil, grime, ink, oil and paint.
- Condition skin to leave hand feeling clean and fresh.





**AST 3111**  
**14OZ NEW GENERATION WHEEL BEARING GREASE**

For disc and drum brake.



- Premium lithium complex NLGI #2 grease for use on drum and disc brake wheel bearing, chassis, suspension and universal joint.
- Excellent performance under extreme pressure and anti wear application.
- Maintain 50lb Timken OK load.
- Typical drop point: 500 F



**AST 3191**  
**14OZ STA PLEX EXTREME PRESSURE PREMIUM RED GREASE**

Superior multi purpose certified lithium complex based NLGI #2 grease.



- Contain extreme pressure, anti wear and anti oxidation additive.
- Ideal for high temperature and performance application.
- Application to industry mining, metal production, machining, plastic molding, pump, electric motor, ball & roller bearing, automobile, oven, truck, tractor and construction equipment.
- Typical drop point: 500 F



**AST 3560-0**  
**14OZ MULTI PURPOSE FOOD GRADE GREASE**

Tenacious, white, aluminum complex grease provided superior lubrication and durability in food production and processing application.



- Protect equipment against rust, oxidation and wear. It resist throw off, shear breakdown as well as water and detergent wash out.
- It will not bound out of bearing and bushing during shock load.
- Temperature range from -20 C to +200 C.
- NSF H1 registered for incidental food contact.



**ACR 0513-0**  
**0.6OZ MAGIC OIL LOCK LUBE**

Seized lock and mechanism and loosen rusted part.

**EXCLUSIVE**



- Small enough to fix anywhere from glove box and desk drawer to toolbox.
- Long lasting lubricant with graphite.
- Lubricate on cylindrical lock
- Safe on all metal , without stain.
- Quick drying, no mess application
- Reduce friction and wear.



**ACR 0513-1**  
**8OZ VISICLEAR DISPLAY CLEANER**  
**DISPLAY CLEANER AND ELECTRONIC SCREEN CLEANER**

**EXCLUSIVE**



- Safely clean TFT, LCD, Plasma, CRT and touch screen.
- Unique foam cleaner clings, won't drip is alcohol and ammonia free.
- Use micro fiber or spray direct on the display unit.
- Remove finger print, nicotine film, dust and dirt.
- Will not damage screen protective coating.
- Streak free formula leave not residue and dry fast.





CODE	BRAND	PRODUCT	PACK	PRICE
ACR 0319-4	CRC	16OZ GRAFFITI REMOVER	CAN	55.00
ACR 0506-1	CRC	12OZ FUEL INJECTOR & CARBURETOR CLEANER	CAN	27.00
ACR 0507-8	CRC	12OZ THROTTLE BODY & AIR INTAKE CLEANER	CAN	31.00
ACR 0510-7	CRC	0.28OZ DIELECTRIC GREASE (BULB & CONNECTOR)	CAN	23.00
ACR 0511-0	CRC	11OZ MASS AIR FLOW SENSOR CLEANER	CAN	46.00
ACR 0513-0	CRC	0.6OZ MAGIC OIL STOP LUBE	CAN	28.00
ACR 0513-1	CRC	8OZ VISICLEAR DISPLAY CLEANER	CAN	
ACR 0521-2	CRC	12OZ DIESEL FUEL THERAPY	CAN	20.00
ACR 0533-4	CRC	12OZ SMOKE STOP W. PBX2	CAN	27.00
ACR 0533-5	CRC	12OZ RADIATOR ANTI RUST	CAN	20.00
ACR 0533-7	CRC	12OZ RADIATOR FLUSH	CAN	20.00
ACR 0533-9	CRC	12OZ ENGINE SEAL	CAN	31.00
ACR 0534-5	CRC	12OZ STEER AID	CAN	28.00
ACR 0534-7	CRC	20OZ RUBBERIZED SPRAY UNDERCOATING	CAN	33.00
ACR 0534-8	CRC	30OZ ENGINKOOL	CAN	23.00
ACR 0535-0	CRC	7.5OZ BELT DRESSING	CAN	21.00
ACR 1407-7	CRC	12OZ MINIMAL EXPANSION FOAM	CAN	53.00
ACR 1442-4	CRC	18OZ STAINLESS STEEL CLEANER & POLISH	CAN	53.00
ACR 1440-0	CRC	18OZ HYDROFORCE CITRUS M/P FOAMING CLEANER	CAN	33.00
ACR 1450-3	CRC	20OZ LEAK DETECTOR	CAN	52.00
ACR 1841-8	CRC	32OZ RUST CONVERTER	CAN	51.00
ACR 2015	CRC	150G CO CONTACT CLEANER	CAN	36.00
ACR 2016	CRC	350G CO CONTACT CLEANER	CAN	53.00
ACR 2043	CRC	300G PLASTICOTE 70	CAN	43.00
ACR 2044	CRC	300G RED URETHENE SEAL COAT	CAN	48.00
ACR 2085	CRC	350G ZINC IT	CAN	53.00
ACR 3016	CRC	16OZ METAL MATE ( METAL CLEANER )	CAN	48.00
ACR 3035	CRC	285G WIRE ROPE AND CABLE LUBRICANT	CAN	55.00
ACR 3045	CRC	300G POWER LUBE W. PTFE	CAN	55.00
ACR 3055	CRC	330G 808 SILICONE SPRAY	CAN	31.00
ACR 3063	CRC	300G CDT CUTTING OIL	CAN	43.00
ACR 3070	CRC	500G GLASS CLEANER	CAN	28.00
ACR 3075	CRC	250ML RAIN SHEILD	CAN	20.00
ACR 4013-8	CRC	8OZ TANNERY ALL IN ONE CLEANER & CONDITIONER	CAN	33.00
ACR 4017-3	CRC	10OZ TANNERY ALL PURPOSE CLEANER & CONDITIONER	CAN	28.00
ACR 5005	CRC	400G 5.56	CAN	17.50
ACR 5016	CRC	118ML DISC BRAKE OUIET	CAN	38.00
ACR 5028	CRC	175G 5.56	CAN	20.00
ACR 5035	CRC	300G TAC-2 ADHESIVE LUBRICANT	CAN	38.00
ACR 5037	CRC	10OZ WHITE LITHIUM GREASE	CAN	38.00
ACR 5041	CRC	500ML SO EASY PROTECTANT	CAN	31.00
ACR 5045	CRC	400G SO EASY ONE STEP TYRE CARE	CAN	31.00
ACR 5070	CRC	400G AEROCLEAN DEGREASER	CAN	28.00
ACR 5081	CRC	400G CLEAN -R- CARB	CAN	29.00
ACR 5089	CRC	500G BRAKLEEN	CAN	29.00
ACR 5098	CRC	300G BATTERY TERMINAL PROTECT	CAN	31.00
ACR 9019	CRC	400ML BUG & TAR REMOVER	CAN	45.00
AST 0301-8	CRC	16.25OZ STA-LUBE SPRAY ADHESIVE	CAN	55.00
AST 1712	CRC	16OZ MACHANIC HAND CLEANER	TIN	35.00
AST 1719	CRC	1 GALLON MECHANIC HAND CLEANER	TIN	110.00
AST 3111	CRC	14OZ NEW GENERATION WHEEL BEARING GREASE	TIN	25.00
AST 3191	CRC	14OZ STA PLEX RED EP GREASE	TIN	31.00
AST 3560-0	S. LUBE	14OZ MULTI PURPOSE FOOD GRADE GREASE	TUBE	48.00

323, JALAN MAHKOTA, TAMAN MALURI, CHERAS, 55100 KUALA LUMPUR WILAYAH PERSEKUTUAN MALAYSIA  
 WEBSITE: www.sfonlines.com EMAIL: mail@sfonlines.com TEL:03-9285 4435 FAX:03-9281 8546

